### **PCT**

### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

C09B 67/00, A61K 7/13

(11) International Publication Number:

WO 97/19999

A1 |

(43) International Publication Date:

5 June 1997 (05.06.97)

(21) International Application Number:

PCT/DK96/00499

(22) International Filing Date:

29 November 1996 (29.11.96)

(30) Priority Data:

1357/95

30 November 1995 (30.11.95) DK

(71) Applicant (for all designated States except US): NOVO NORDISK A/S [DK/DK]; Novo Allé, DK-2880 Bagsværd (DK).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): AASLYNG, Dorrit [DK/DK]; Novo Nordisk A/S, Novo Allé, DK-2880 Bagsværd (DK). SØRENSEN, Niels, Henrik [DK/DK]; Novo Nordisk A/S, Novo Allé, DK-2880 Bagsværd (DK). RØRBÆK, Karen [DK/DK]; Novo Nordisk A/S, Novo Allé, DK-2880 Bagsværd (DK).
- (74) Common Representative: NOVO NORDISK A/S; Novo Allé, DK-2880 Bagsværd (DK).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: LACCASES WITH IMPROVED DYEING PROPERTIES

(57) Abstract

The present invention relates to a permanent dyeing composition comprising: a) above 0 to 1 mg enzyme protein per ml dyeing composition of microbial laccase, b) one or more dye precursor, and c) optionally one or more dye modifiers, the use of the dyeing composition for dyeing keratinous fibres, such as hair, fur, hide and wool, and a method for permanent dyeing of keratinous fibres.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
		GE	Georgia	MX	Mexico
AT	Austria	GN	Guinea	NE	Niger
AU	Australia	GR	Greece	NL	Netherlands
BB	Barbados	HU	Hungary	NO	Norway
BE	Belgium	IE.	Ireland	NZ	New Zealand
BF	Burkina Faso			PL	Poland
BG	Bulgaria	IT	Italy	PT	Portugal
BJ	Benin	JP	) abau	RO	Romania
BR	Brazil	KE	Kenya	RU	Russian Federation
BY	Belarus	KG	Kyrgystan	SD	Sudan
CA	Canada	KP	Democratic People's Republic	SE	Sweden
CF	Central African Republic		of Korea	_	
CG	Congo	KR	Republic of Korea	SG	Singapore
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	u	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LR	Liberia	SZ	Swaziland
CS	Czechoslovakia	LT	Lithuania	TD	Chad
CZ	Czech Republic	LU	Luxembourg	TG	Togo
DE	•	LV	Latvia	TJ	Tajikistan
	Germany Denmark	MC	Monaco	TT	Trinidad and Tobago
DK	Estonia	MD	Republic of Moldova	UA	Ukraine
EE	-	MG	Madagascar	UG	Uganda
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France	MR	Mauritania	VN	Viet Nam
G٨	Gabon	MIK	Man Harrie		

Title: Laccases with improved dyeing properties

#### FIELD OF THE INVENTION

The present invention relates to a dyeing composition comprising a microbial laccase, the use of said dyeing composition for dyeing keratinous fibres, in particular hair, fur, hide and wool, and a method for dyeing keratinous fibres.

#### 10 BACKGROUND OF THE INVENTION

It has been used for many years to dye the hair to cover appearing grey hair. The need to do so arises from the fact that grey hair is the first sign of having past adolescence, which can be hard to accept for many people.

15 For instance, in certain parts of Asia it is widely used by both men and women to dye the hair with dyes often referred to by humorous people as "black shoe polish".

During the last few decades hair dyeing has become more and more popular in the western world. At first Punk Rockers and other society critical groups dyed their hair in extreme colours as a part of their protest against the established society, but today especially many young people also uses hair dyes (in more soft tints than the Punk Rockers) as a sort of "cosmetic" to change or freshen up their "look".

25

35

20

5

#### Hair dyes

In general hair dyeing compositions on the market today can be divided into three main groups:

- temporary hair dyes,
- 30 semi-permanent hair dyes, and
  - permanent oxidative hair dyes.

The temporary hair dyes are only intended to change the natural hair colour for a short period of time and usually functions by depositing dyes on the surface of the hair. Such hair dyes are easy to remove with normal shampooing.

When using semi-permanent hair dyes the colour of the dyed hair can survive for five or more shampooings. This is achieved

WU 7/117777

5

10

15

30

by using dyes having a high affinity for hair keratin and which is able penetrate into the interior of the hair shaft.

Permanent hair dyes are very durable to sunlight, shampooing and other hair treatments and need only to be refreshed once a month as new hair grows out. With these dyeing systems the dyes are created directly in and on the hair. Small aromatic colourless dye precursors (e.g. p-phenylene-diamine and o-aminophenol) penetrate deep into the hair where said dye precursors are oxidised by an oxidising agent into coloured polymeric compounds. These coloured compounds are larger than the dye precursors and can not be washed out of the hair.

By including compounds referred to as modifiers (or couplers) in the hair dyeing composition a number of hair colour tints can be obtained. Cathecol and Resorcinol are examples of such modifiers.

Traditionally  $\rm H_2O_2$  is used as the oxidizing agent (colour builder), but also as a bleaching agent. Dyeing compositions comprising  $\rm H_2O_2$  are often referred to as "lightening dyes" due to this lightening effect of  $\rm H_2O_2$ .

The use of  $H_2O_2$  in dyeing compositions have some disadvantages as  $H_2O_2$  damages the hair. Further, oxidative dyeing often demands high pH (normally around pH 9-10), which also inflicts damage on the hair and on the skin. Consequently, if using dye compositions comprising  $H_2O_2$  it is not recommendable to dye the hair often.

To overcome the disadvantages of using  $H_2O_2$  it has been suggested to use oxidation enzymes to replace  $H_2O_2$ .

Us patent no. 3,251,742 (Revlon) describes a method for dyeing human hair by dye formation in situ (i.e. on the hair). An oxidative enzyme is used to the colour formation reactions at a substantially neutral pH (7-8.5). Laccases, tyrosinases, polyphenolases and catacolases are mentioned as suitable oxidation enzymes. The only exemplified oxidation enzyme is tyrosinase.

35 EP patent no. 504.005 (Perma S.A.) concerns dyeing compositions for keratinous fibres, in particular hair, which do not require the presence of  $\rm H_2O_2$  (hydrogen peroxide). The

composition comprises an enzyme capable of catalysing the formation of the polymeric dyes and also dye precursors, such as bases and couplers, in a buffer solution wherein the pH of said composition is between 6.5 and 8 and said enzyme has an optimal activity in the pH range between 6.5 and 8.

Rhizoctonia praticola laccase and Rhus vernicifera laccase are the only laccases exemplified in the patent.

Abstract of Papers American Chemical Society vol. 209, no. 1-2, 1995 discloses the cloning of laccases from Scytalidium thermophilum and Myceliophthora thermophila. The abstract does not mention the use of said laccases for dyeing.

#### SUMMARY OF THE INVENTION

10

15

20

25

35

The object of the present invention is to provide improved dyeing compositions for keratinous fibres, such as hair, fur hide and wool, comprising an oxidative enzyme as the oxidising agent.

In the context of the present invention an "improved" composition for dyeing keratinous fibres means a composition being capable of dyeing the keratinous fibres in question faster or by the use of a smaller amount of oxidation enzyme to obtain an optimal dyeing effect, determined as  $\Delta E^*$ , in comparison to corresponding prior art dyeing compositions.

Further, it is also possible to use a less amount of dye precursor. This is advantageous as certain dye precursors are very unhealthy and very carcinogenic.

Compositions capable of dyeing the keratinous fibres, in particular hair, fur, hide and wool, faster are desirable as such compositions are very user convenient.

Further, it is desirable to be able to use a less amount of enzyme in the dyeing composition. This might make the dyeing process more economical. Further, the risk for creating airborne protein aerosols is reduced.

It has now surprisingly been found that it is possible to provide such improved dyeing compositions for keratinous fibres by using microbial laccases for oxidising the dye precursor(s).

Laccases (benzenediol:oxygen oxidoreductases) (E.C. class

. C. . I D. 16 / U/ UUT / /

.

WU 7//1777

5

20

25

30

35

1.10.3.2 according to Enzyme Nomenclature (1992) Academic Press, Inc.) are multi-copper containing enzymes that catalyse the oxidation of phenols. Laccase-mediated oxidation results in the production of aryloxy-radical intermediates from suitable phenolic substrates; the ultimate coupling of the intermediates so produced provides a combination of dimeric, oligomeric, and polymeric reaction products. Certain reaction products may be used to form dyes suitable for dyeing keratinous fibres, such as hair and wool (see below).

10 Firstly, the object of the invention is to provide a dyeing composition comprising

- a) above 0 to 1 mg enzyme protein per ml dyeing composition of microbial laccase,
- b) one or more dye precursors,
- 15 c) optionally one or more modifiers.

Specifically contemplated is laccases of microbial origin, derived from a strain of the genus Myceliophthora.

In the second aspect the invention relates to the use of a dyeing composition of the invention for dyeing keratinous fibres, such as hair, fur, hide and wool.

The invention also related to a method for dying keratinous fibres comprising contacting the dyeing composition of the invention to the keratinous fibres in question under suitable conditions and for a period of time sufficient to permit oxidation of the dye precursor into a coloured compound.

The invention also relates to the use of a laccase for permanent dyeing of keratinous fibres wherein said laccase is a laccase that results in a  $\Delta E^*$ -value higher than the  $\Delta E^*$ -value resulting from a laccase derived from *Rhus* under corresponding dyeing conditions.

This means that when dyeing keratinous fibres with a dyeing composition of the present invention the  $\Delta E^*$ -value determined are higher than the  $\Delta E^*$ -value determined from corresponding keratinous fibres dyed under the same conditions using a dyeing composition comprising a laccase derived from *Rhus*.

The term "corresponding dyeing conditions" means under conditions where e.g. the enzyme concentration or enzyme

activity, dyeing incubations time, dyeing incubation temperature, pH conditions, keratin fibre type (such as hair type) are the same, and further that the same dye precursor(s) and modifier(s) are used. In other words it defines conditions parallel to the specific dyeing conditions chosen. The dyeing conditions described below in the Examples may be chosen.

In the context of the present invention a "higher"  $\Delta E^*$  value defines that the total quantitative colour change is more than one  $\Delta E^*$  unit.

 $\Delta E*$  is calculated from the values of the parameters a\*, b\* and L\* determined e.g. on a Minolta CR200 Chroma Meter using the formula  $\Delta E*=\sqrt{(\Delta L*^2+\Delta a*^2+\Delta b*^2)}$ . The meaning of a\*, b\* and L\* is explained below in the "Materials and Methods" section.

#### 15 BRIEF DESCRIPTION OF THE DRAWING

Figure 1 shows the dyeing effect of six different laccases. The six laccases are the Polyporus pinsitus laccase (rPp-laccase), Myceliophthora thermophila laccase (Mt-laccase wt.), Myceliophthora thermophila T1 variant laccase (Mt-laccase (var)), Rhus vernicifera laccase (Rvl-FXu-1), Scytalidium thermophilum laccase (rStL-FXu-1) and Rhizoctonia solani laccase (rRsL-3-FXu-1). o-aminophenol is used as the dye precursor and m-phenylene-diamine is used as a modifier.

Figure 2 shows the wash stability of the Myceliophthora thermophila T1 variant laccase (Mt-laccase (var)) and the Polyporus pinsitus laccase (rPp-laccase) as the oxidising agent.

Figure 3 shows the fastness (speed) of hair dyeing using the Myceliophthora thermophila T1 variant laccase (Mt-laccase (var)) and the Polyporus pinsitus laccase (rPp-laccase) as the oxidising agent.

Figure 4 shows the dose-response dyeing effect of Myceliophthora thermophila laccase, using from 0.0001 to 0.5 mg enzyme protein per ml dyeing composition.

20

25

30

WU 3//137777

### DETAILED DESCRIPTION OF THE INVENTION

The object of the present invention is to provide improved dyeing compositions for permanent dyeing of keratinous fibres, such as hair, fur, hide and wool, comprising an oxidation enzyme.

6

It has now surprisingly been found that it is possible to provide such improved dyeing compositions by using a microbial laccase for oxidising the dye precursor(s).

#### 10 The Dyeing Composition

5

20

25

30

In the first aspect the present invention relates to a dyeing composition comprising

- a) above 0 to 1 mg enzyme protein per ml dyeing composition of microbial laccase,
- 15 b) one or more dye precursor, and
  - c) optionally one or more dye modifiers.

In a preferred embodiment of the invention the laccase may be present in the dyeing compositions in a concentration within the range from 0.0001 to 1 mg/ml, preferably 0.001 to 0.8 mg/ml, more preferred 0.002 to 0.5, even more preferred 0.003 to 0.2, especially 0.004 to 0.1 mg enzyme protein/ml dyeing composition.

When dyeing with a composition of the invention for permanent dyeing the  $\Delta E^*$ -value obtained is higher than that obtained when using a dyeing composition comprising a laccase derived from *Rhus* under corresponding dyeing conditions.

An example of a Rhus laccase is the laccase derived from the Japanese varnish tree Rhus vernicifera (Yoshida, (1883), J. Chem. Soc., 472). The Rhus vernicifera laccase is used in the Example 1 below.

The microbial laccase used according to the invention is of fungal or bacteria origin, in particular of filamentous fungus origin.

In an embodiment of the invention the microbial laccase is
derived from a strain of genus Myceliophthora, such as a strain
of the species Myceliophthora thermophila e.g. the purified
laccase described in WO 95/33836 (PCT/US95/06815) from Novo

Nordisk, which is hereby incorporated by reference. SEQ ID NO 1 below shows a DNA sequence encoding a suitable laccase derivable from Myceliophthora thermophila.

E. coli JM101 containing the expression vector pRaMB5 comprising SEQ ID NO 1 has been deposited under the Budapest Treaty with the Agricultural Research Service Patent Culture Collection, Northern Regional Research Center, 1815 University Street, Peoria, Illinois, 61604. The vector have been given the Accession Number NRRL B-21261.

Also contemplated according to the invention are laccases 10 derived from other micro-organisms being more than 80% homologous to SEQ ID NO 1 derived from Myceliophthora thermophila.

15

30

35

In addition, Myceliophthora laccases also encompass alternative forms of laccases which may be found in M. thermophila and as well as laccases which may be found in other fungi which are synonyms of fall within the definition of M. thermophila as described by Apinis (Nova Hedwigia 5, 57-78, 1963) and named Sporotrichum thermophile. Subsequent taxonomic revisions have placed this organism in the genus Chysosporium (Von Klopotek, A. Arche., (1974) Microbiol, 98, 365-369) and later Myceliopht-20 hora (Van Oorshot, Persoonia, (1977), 9, 401-408). A number of organisms known by other named also appear to belong to this species. These include Sporotrichum cellulophilum (US patent 4,106,989); Thielavia thermophila (Fergus and (1968), Can. J. Botany, 47, 1635-1637); Chrysosporium fergussi 25 and Corynascus thermophilus (Von Klopotek, supra).

Also the use of laccase variants are contemplated according to the present invention.

An example of a laccase variant is the Myceliophthora thermophila T1 variant described in PCT/US96/14087 (Novo Nordisk).

T1 variants (or Type I variants) are modified blue copper oxidases, including laccases. T1 variants can for instance be constructed by site-directed mutagenesis and differ from the corresponding wild-type blue copper oxidases by at least one amino acid residue in the Type I (T1) copper site. These modifications generally result in altered pH profiles and/or specific activity relatively to the wild-type enzymes. This can

**WU Y//17777** 

be advantageous when using the enzyme in question in dyeing compositions.

More specific the Myceliophthora thermophila Tl laccase variant may comprise the sequence 509VSGGL511 or may be modified as to increase the negative charge in at least one segment of the T1 copper site.

5

10

15

20

25

30

The above mentioned microbial laccases may advantageously be used in permanent dyeing composition for keratinous fibres. superior dyeing have a compositions corresponding compositions comprising e.g. the Rhus vernicifera laccase as shown in Example 1.

The Myceliophthora thermophila T1 variant laccase is more wash stabile and further dyes faster than the Polyporus pinsitus laccase which is proven in Example 2 and Example 3, respectively.

Example 4 shows that less Myceliophthora laccase activity (i.e. LACU/ml) is needed to obtain a suitable dyeing effect in comparison to the Polyporus pinsitus laccase.

Example 5 shows that for the Myceliophthora thermophila laccase the dyeing effect optimum is obtained around 0.005 mg enzyme protein per ml dyeing composition.

In the case of using a Myceliophthora laccase in a permanent it may advantageously be present composition concentrations from above 0 to 1 mg/ml, preferably 0.0001 to 0.1 mg/ml, more preferably 0.0005 to 0.05 mg/ml, especially 0.001 to 0.01 mg enzyme protein per ml dyeing composition.

It is to be understood that the laccase may be produced either homologously, or heterologously in a host cell such as filamentous fungus, yeast or bacteria.

Examples of filamentous fungi host cells include strains of the species of Trichoderma, preferably a strain of Trichoderma harzianum or Trichoderma reesei, or a species of Fusarium, or a species of Aspergillus, most preferably Aspergillus oryzae or Aspergillus niger, or yeast cells, such as e.g. a strain of Saccharomyces, in particular Saccharomyces cerevisiae, Saccha-35 strain uvarum, Saccharomyces kluyveri or romyces Schizosaccharomyces sp., such as Schizosaccharomyces pombe, a strain of Hansenula sp., Pichia sp., Yarrowia sp., such as Yarrowia lipolytica, or Kluyveromyces sp., such as Kluyveromyces lactis, or a bacteria, such as gram-positive bacteria such as strains of Bacillus, such as strains of B. subtilis, B. Licheniformis, B. lentus, B. brevis, B. stearothermophilus, B. alkalophilus, B. amyloliquefaciens, B. coagulans, B. circulans, B. lautus, B. megaterium or B. thuringiensis, or strains of streptomyces, such as S. lividans or S. murinus, or gram-negative bacteria such as Escherichia coli.

To obtain dyeing of the keratinous fibres the dyeing composition of the invention comprises one or more dye precursors which is(are) converted into coloured compound(s) by an oxidation agent which according to the present invention is a microbial laccase.

Without being limited thereto the dye precursor(s) may be (an) aromatic compound(s) belonging to one of three major chemical families: the diamines, aminophenols (or aminonaphtols) and the phenols. Examples of isatin derivative dye precursors can be found in DE 4,314,317-A1. Further, a number of indole or indoline derivative dye precursors are disclosed in WO 94/00100. Said dye precursors mentioned in these documents are hereby incorporated herein by reference.

25

30

35

Examples of suitable dye precursors include compounds from the group comprising p-phenylene-diamine (PPD), p-toluylene-diamine (PTD), chloro-p-phenylene-diamine, p-aminophenol, o-aminophenol, 3,4-diaminotoluene, 2-methyl-1,4-diaminobenzene, 4-2-methoxy-p-phenylenediamine, methyl-o-phenylenediamine, chloro-1,4-diamino-benzene, 4-amino diphenylamine, 1-amino-4- $\beta$ methoxyethylamino-benzene, 1-amino-4-bis-(β-hydroxyethyl)-amo-1-3-diamino-benzene, 2-methyl-1,3-diamino-benzene, 2,4-diaminotoluene, 2,6-diaminopyridine, 1-hydroxy-2-amino-ben-1-hydroxy-3-amino-benzene, 1-methyl-2-hydroxy-4-aminozene, 1-methyl-2-hydroxy-4-β-hydroxyethylamino-benzene, hydroxy-4-amino-ebnzene, 1-hydroxy-4-methylamino-benzene, 1-methoxy-2,4-diamino-benzene, 1-ethoxy-2,3-diamino-benzene, hydroxyethyloxy-2,4-diamino-benzene, phenazines, such as 4,7WU 7//1777

20

25

30

35

phenazinedicarboxylic acid, 2,7-phenazinedicarboxylic acid, 2phenazinecarboxylic acid, 2,7-diaminophenazine, 2,8-diamino-2,7-diamino-3,8-dimethoxyphenazine, 2,7-diamino-3phenazine, methoxyphenazine, 2,7-diamino 3-methoxyphenazine, 3-dimethyl 2,8-phenazinediamine, 2,2'-[(8-amino-7-methyl-2-phenazinyl)imino]bis-ethanol, 2,2'-[(8-amino-7-methoxy-2-phenazinyl)imino]bis-ethanol, 2,2'-[(8-amino-7-chloro-2-phenazinyl)imino]bis-2-[(8-amino-7-methyl-2-phenazinyl)amino]-ethanol, 2,2'-[(8-amino-2-phenazinyl)imino]bis-ethanol, 3-amino-7-(dimethylamino)-2,8-dimethyl-5-phenyl-chloride, 9-(diethylamino)-10 benzo[a]phenazine-1,5-diol, N-[8-(diethylamino)-2-phenazinyl]-N-(8-methoxy-2-phenazinyl) - Methanesulfomethanesulfonamide, namide, N,N,N',N'-tetramethyl-2,7-phenazinediamine, 3,7-dimethyl-2-phenazinamine, p-amino benzoic acids, such as p-amino benzoic acid ethyl, p-amino benzoic acid glycerid, p-amino 15 benzoic acid isobutyl, p-dimethylamino benzoic acid amil, pdimethylamino benzoic acid octyl, p-diethoxy amino benzoic amil, p- dipropoxy amino benzoic acid ethyl, acetylsalicylic acid, isatin derivatives, such as 2,3-diamino benzoic acid.

In an embodiment the laccase is used with the dye precursor directly to oxidise it into a coloured compound. The dye precursor may be used alone or in combination with other dye precursors.

It is believed that when using a diamine or an aminophenol as the dye precursor at least one of the intermediates in the co-polymerisation must be an ortho- or para-diamine or aminophenol. Examples of such are found below and are also described in US patent no. 3,251,742 (Revlon), the contents of which are incorporated herein by reference.

Optionally dyeing compositions (especially hair dyeing compositions) of the invention also comprise a modifier (coupler) by which a number of colour tints can be obtained.

In general modifiers are used in dyeing composition for hair as the hair colours resulting from hair dyeing compositions without modifier(s) are usually unacceptable for most people.

Modifiers are typically m-diamines, m-aminophenols, or polyphenols. Upon the optional addition of a modifier (coupler) it

reacts with the dye precursor(s) in the presence of e.g. a laccase, converting the dye precursor(s) into a coloured compound.

Examples of modifiers (couplers) include m-phenylene-diamine, 2,4-diaminoanisole, 1-hydroxynaphthalene( $\alpha$ -naphthol), 1,4dihydroxybenzene(hydroquinone), 1,5-dihydroxynapthalene, dihydroxybenzene(pyrocatechol), 1,3-dihydroxybenzene (resorcinol), 1,3-dihydroxy-2-methylbenzene, 1,3-dihydroxy-4-chlorobenzene(4-chlororesorcinol), 1,2,3,trihydroxybenzene, 1,2,4-trihydroxybenzene, 1,2,4-trihydroxy-5-methylbenzene, 1,2,4-trihydroxytoluene.

When using the dyeing compositions of the invention a reduced amount of enzyme (i.e. mg enzyme protein per ml dyeing composition) is needed to obtain the maximal dyeing effect (See Figure 1 and Figure 4), determined as the optimal  $\Delta E^*$ -value, in comparison to prior art dyeing compositions, such as dyeing compositions comprising a laccase derived from Rhus.

The amount of dye precursor(s) and other ingredients used in the composition of the invention are in accordance with usual commercial amounts.

According to the invention the product comprising the dyeing composition may be a one or a two compartment product. In the one compartment product the laccase, the dye precursor(s) and other ingredients are keep together in a stabilised solution or kept under stable conditions (i.e. the dye precursors are not oxidised by the laccase). In a two compartment product the lac-25 case and the dye precursor(s) and other ingredients are keep in two containers keep apart. The contents of said containers are mixed immediately before use.

#### 30 USE

35

5

10

15

20

In the second aspect the invention relates to the use of the dyeing composition of the invention for permanent dyeing of keratinous fibres, in particular hair, fur, hide and wool.

When using a dying composition of the invention the  $\Delta E^*$ value obtained is higher than that of a dyeing composition comprising a laccase derived from genus Rhus under corresponding dyeing conditions (see Figure 1).

Method

10

15

20

30

In the third aspect the invention relates to a method for permanent dying of keratinous fibres comprising contacting a dyeing composition of the invention with the keratinous fibres in question under suitable conditions and for a period of time sufficient to permit oxidation of the dye precursor into a coloured compound.

The dyeing procedure may be carried out at room temperature, preferably around the optimal temperature of the enzyme, typically with from 10 to 60°C; at a pH in the range from 3 to 10, preferably 5 to 9, especially 6 to 8; for a period of time between 10 and 60 minutes, preferably 15 to 50 minutes, especially 20 to 40 minutes.

When using the method of the invention the  $\Delta E^*$ -value obtained is higher than that of corresponding methods where a laccase derived from a strain of the genus *Rhus* are used under the same dyeing conditions, in the presence or absence of at least one modifier, with at least one dye precursor, for a period of time, and under conditions sufficient to permit oxidation of the dye precursor used for oxidising the dye.

The method can be conducted with one or more dye precursors, either alone or in combination with one or more modifiers.

### MATERIALS AND METHODS

#### 25 Materials:

#### Hair:

6" De Meo Virgin Natural White Hair (De Meo Brothers Inc. USA) Enzymes:

Myceliophthora thermophila laccase described in WO 95/33836 (PCT/US95/06815) from Novo Nordisk Biotech, Inc.

Myceliophthora thermophila T1 variant laccase described in US patent application 60/003,142 from Novo Nordisk Biotech, Inc.

Polyporus pinsitus laccase described in WO 96/00290

Polyporus pinsitus laccase described in WO 96/0029 (PCT/US95/07536) from Novo Nordisk Biotech, Inc.

Rhus vernicifera laccase (Yoshida, J. Chem. Soc., 472 (1883)

Rhizoctonia solani laccase described in WO 95/07988 from Novo

Nordisk Biotech, Inc.

Scytalidium thermophilum laccase described in WO 95/33837 (PCT/US95/06816) from Novo Nordisk Biotech, Inc.

#### Deposit of Biological Material

The following biological material has been deposited on the 25 May 1994 under the terms of the Budapest Treaty with the Agricultural Research Service Patent Culture Collection, Northern Regional Research Center, 1815 University Street, Peoria, Illinois, 61604 and given the following accession number.

### Deposit

#### Accession Number

E. coli JM101 containing pRaMB5

NRRL B-21261

#### 15 Dye precursors:

- 0.1 % w/w p-phenylene-diamine in 0.1 M K-phosphate buffer, pH
  7.0. (pPD)
- 0.1 % w/w p-toluylene-diamine in 0.1 M K-phosphate buffer, pH 7.0.
- 20 0.1 % w/w chloro-p-phenylenediamine in 0.1 M K-phosphate buffer, pH 7.0.
  - 0.1 % w/w p-aminophenol in 0.1 M K-phosphate buffer, pH 7.0.
  - 0.1 % w/w o-aminophenol in 0.1 M K-phosphate buffer, pH 7.0.
  - 0.1 % w/w 3,4-diaminotoluene in 0.1 M K-phosphate, buffer pH
- 25 7.0.

#### Modifiers:

- 0.1 % w/w m-phenylenediamine in 0.1 M K-phosphate buffer, pH 7.0.
- 30 0.1 % w/w 2,4-diaminoanisole in 0,1 M K-phosphate buffer, pH 7.0.
  - 0.1 % w/w alpha-naphthol in 0.1 M K-phosphate buffer, pH 7.0.
  - 0.1 % w/w hydroquinone in 0.1 M K-phosphate buffer, pH 7.0.
  - 0.1 % w/w pyrocatechol in 0.1 M K-phosphate buffer, pH 7.0.
- 35 0.1% w/w resorcinol in 0.1 M K-phosphate buffer, pH 7.0.
  - 0.1 % w/w 4-chlororesorcinol in 0.1 M K-phosphate buffer, pH 7.0.

WU 7//1777

The dye precursor is combined with one of the above indicated modifiers so that the final concentration in the dyeing solution is 0.1 % w/w with respect to precursor and 0.1 % w/w with respect to modifier.

5

15

20

25

#### Other solutions:

Commercial shampoo

#### Equipment:

10 Minolta CR200 Chroma Meter

### Determination of Laccase Activity (LACU)

Laccase activity is determined from the oxidation of syringaldazin under aerobic conditions. The violet colour produced is photometered at 530 nm. The analytical conditions are 19 mM syringaldazin, 23.2 mM acetate buffer, pH 5.5, 30°C, 1 min. Reaction time.

1 laccase unit (LACU) is the amount of enzyme that catalyses the conversion of 1.0 micromole syringaldazin per minute at these conditions.

### Assessment of the hair colour

The quantitative colour of the hair tresses is determined on a Minolta CR200 Chroma Meter by the use the parameters L\* ("0"=black and "100"=white), a\* ("-"=green and "+"=red) and b\* ("-" blue and "+" yellow).

 $\Delta L^*$ ,  $\Delta a^*$  and  $\Delta b^*$  are the delta values of  $L^*$ ,  $a^*$  and  $b^*$  respectively compared to  $L^*$ ,  $a^*$  and  $b^*$  of untreated hair (e.g.  $\Delta L^* = L^*_{sample} - L^*_{untreated hair}$ ).

30  $\Delta E^*$  is calculated as  $\Delta E^* = \sqrt{(\Delta L^*^2 + \Delta a^*^2 + \Delta b^*^2)}$  and is an expression for the total quantitative colour change.

#### **EXAMPLES**

35 Example 1

Dyeing effect

The dyeing effect of different laccases were tested and compared under the same conditions using 0.1% w/w o-aminophenol (dye precursor) and 0.1% w/w m-phenylene-diamine (modifier).

The laccases tested were

- 5 a Polyporus pinsitus laccase,
  - a Myceliophthora thermophila laccase
  - a Myceliophthora thermophila T1 laccase variant,
  - a Rhus vernicifera laccase
  - a Rhizoctonia solani laccase
- 10 a Scytalidium thermophila laccase

#### Hair dyeing

.. - - . . . . . . . . .

- 1 gram white De Meo hair tresses were used.
- 4 ml dye precursor solution (including modifier) was mixed 15 with 1 ml laccase on a Whirley mixer, applied to the hair tresses and incubated at 30°C for 60 minutes.

The hair tresses were then rinsed with running water, washed with shampoo, rinsed with water, combed, and air dried.

a\*, b\* and L\* were determined on the Chroma Meter and  $\Delta E*$  20 was then calculated.

Hair tress samples treated without enzyme were used as a blind.

The result of the test is displayed in figure 1.

#### 25 Example 2

30

#### Wash stability

Tresses of white De Meo hair (1 gram) were used for testing of the wash stability of hair dyed using the Myceliophthora thermophila T-variant laccase and the Polyporus pinsitus laccase.

Oxidative hair dyeing was carried out as described in Example 1, except that p-phenylene-diamine (pPD) were used as the dye precursor and no modifiers were used.

#### 35 Hair wash

The dyed hair tresses were wetted and washed for 15 seconds with 50 ml of commercial shampoo, and rinsed with water for 1

minute and air dried. The hair tresses were washed up to 18 times.

Then a\*, b\* and L\* were determined on the Chroma Meter and  $\Delta$ E\* values were then calculated.

5 Hair tress samples treated without enzymes were used as blinds.

The result of the test is displayed in figure 2.

#### Example 3

WU 7//17777

### 10 Fastness of hair dyeing

Tresses of white De Meo hair (1 gram) were used for testing fastness (speed) of hair dyeing using the Myceliophthora thermophila T1 variant laccase and the Polyporus pinsitus laccase.

p-phenylene-diamine (pPD) was used as the dye precursor and no modifiers were used.

4 ml dye precursor solution was mixed with 1 ml laccase on a Whirley mixer, applied to the hair tresses and incubated at 30°C for 10, 20, 30, 40, 50 and 60 minutes, respectively.

The hair tresses were then rinsed with running water, washed with shampoo, rinsed with running water, combed, and air dried.

a\*, b\* and L\* were determined on the Chroma Meter for each incubation time and the  $\Delta E$ \*-values were then calculated.

Hair tress samples treated without enzymes for 60 minutes were used as blinds.

The result of the test is displayed in figure 3.

#### Example 4

20

25

30

35

## Dyeing effect of Myceliophthora thermophila T1 variant laccase

The dyeing effect of Myceliophthora thermophila T1 variant laccase were compared with the Polyporus pinsitus laccase using 0.1% w/w p-phenylene-diamine, 0.1% w/w p-touylene-diamine, 0.1% w/w chloro-p-phenylene-diamine, 0.1% w/w p-aminophenol, 0.1% w/w o-aminophenol and 0.1% w/w 3,4 diaminotoluene, respectively, as dye precursors.

The Polyporus pinsitus laccase were applied in a concentration of 10 LACU/ml while the Myceliophthora

thermophila T1 variant laccase was applied in a concentration of only 1 LACU/ml.

- 1 gram white De Meo hair tresses were used.
- 4 ml dye precursor solution was mixed with 1 ml laccase on a Whirley mixer, applied to the hair tresses and incubated at 30°C for 60 minutes.

The hair tresses were then rinsed with running water, washed with shampoo, rinsed with running water, combed, and air dried.

The a\*, b\* and L\* were determined on the Chroma Meter and the  $\Delta E^*$  values were then calculated.

Hair tress samples treated without enzyme were used as blinds.

The result of the test is displayed in Table 1.

15 Table 1

Sample	Polyporus pinsitus laccase ΔE*	Myceliophthora thermophila T1 variant laccase ΔE*
p-phenylene-diamine blind	9.7	10.9
p-phenylene-diamine + laccase	52.7	52.9
p-toluylene-diamine blind	16.1	18.6
p-toluylene-diamine + laccase	39.1	38.2
chloro-p-phenylene-diamine blind	2.6	4.0
chloro-p-phenylene-diamine + laccase	40.5	39.2
p-aminophenol blind	6.2	7.0
p-aminophenol + laccase	32.4	28.1
o-amonophenol blind	5.6	6.4
o-amonophenol + laccase	22.9	22.0
3,4-diaminotoluene blind	3.4	2.6
3,4-diaminotoluene + laccase	36.5	42.2

As can be seen from Table 1 compositions comprising the Myceliophthora thermophila T1 laccase variant dyes the hair as good as the Polyporus pinsitus laccase even though

18

WU 7//17777

concentration of the *Polyporus pinsitus* laccase is 10 time higher.

### Example 5

### 5 Dose-response dyeing effect of M. thermophila laccase

The dyeing effect of M. thermophila laccase were tested using concentration between 0.0001 to 0.5 mg enzyme protein per ml dyeing composition of laccase. 0.1% w/w p-toluylene-diamine (PTD) was used as the dye precursor.

The same dyeing procedure as described in Example 1 was used.

The result of the tests are displayed in Figure 4.

### SEQUENCE LISTING

5	(1) GENERAL INFORMATION:	
5	(i) APPLICANT: (A) NAME: Novo Nordisk A/S	
10	(B) STREET: Novo Alle (C) CITY: Bagsvaerd (D) COUNTRY: Denmark (E) POSTAL CODE (ZIP): DK-2880 (F) TELEPHONE: +45 4444 8888 (G) TELEFAX: +45 4449 3256	
15	(ii) TITLE OF INVENTION: Laccases with improved dyein properties	ng
	(iii) NUMBER OF SEQUENCES: 2	
20	<ul> <li>(v) COMPUTER READABLE FORM:         <ul> <li>(A) MEDIUM TYPE: Floppy disk</li> <li>(B) COMPUTER: IBM PC compatible</li> <li>(C) OPERATING SYSTEM: PC-DOS/MS-DOS</li> <li>(D) SOFTWARE: PatentIn Release #1.0, Version #1.30</li> </ul> </li> </ul>	
25	(2) INFORMATION FOR SEQ ID NO:1:	
30	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 3192 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
35	(ii) MOLECULE TYPE: DNA (genomic)	
33	(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: join(586831, 917994, 10791090, 11931 13372308, 24562524, 26183028)	264,
40	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:	
	TCTAGCTTCT TTGGTCACCG TCGTTTTCGC CCGCCCCCTC CCTCCTTCAA CCCCCTGAGT	60
45	AGTCGGCTAA GCGATCCTCA ATCTGGTCTT GTGAGGTCAC GTCCTCCAGC AGATGACAGT	120
	TCATCGAGCG AGTGATCTCC ACCACCCAGA AGGGAGGGGG GATGCGCGCA TGCTCCAACA	180
F.0	TCCCTGGTGT CGCTAGAGAC GTCGCGGCAT CAGCCTTTTC ATCACACCGA GCACGTCCAC	240
50	GGACCGGCTC CTTTCACCCC CGCGTCCTCC GGAGGATTGA GTCACGATAT TTCGGGATGT	300
	GGGAAGGGGG AGAGAAAGGA GGGGGGAGGG GCGGAAACAT GTTGGATACG AGCTGCGCCC	360
55	CTTTTTCAAC ATCGAGAACA GGAAGTCGTT GGTGTCGGCC GTAATGTCTA TAAAACGAGG	420
	CTCCTTCTCG TCGTCGACTT GTCTCAGGTT CTCTCTCTC TCCACACCAA GCCAGTCTTG	480
60	CCTGAGCCAC CTGAGCCACC TTCAACTCAT CATCTTCAGT CAAGTCGTTC ATTGACATTG	540
	TGTCTCTCTT TCTATCGAGT CGGCTTCCCG GCCCTTCACC ACAAC ATG AAG TCC Met Lys Ser 1	594
65	TTC ATC AGC GCC GCG ACG CTT TTG GTG GGC ATT CTC ACC CCT AGC GTT Phe Ile Ser Ala Ala Thr Leu Leu Val Gly Ile Leu Thr Pro Ser Val 5 10 15	642

5	GCT GCT GCC CCT CCA TCC ACC CCT GAG CAG CGC GAC CTG CTC GTC CCG Ala Ala Ala Pro Pro Ser Thr Pro Glu Gln Arg Asp Leu Leu Val Pro 20 25 30 35	690
J	ATC ACG GAG AGG GAG GCA GCC GTG AAG GCT CGC CAG CAG AGC TGC  Ile Thr Glu Arg Glu Glu Ala Ala Val Lys Ala Arg Gln Gln Ser Cys  40  45  50	738
10	AAC ACC CCC AGC AAC CGG GCG TGC TGG ACT GAC GGA TAC GAC ATC AAC Asn Thr Pro Ser Asn Arg Ala Cys Trp Thr Asp Gly Tyr Asp Ile Asn 55 60 65	786
15	ACC GAC TAC GAA GTG GAC AGC CCG GAC ACG GGT GTT GTT CGG CCG Thr Asp Tyr Glu Val Asp Ser Pro Asp Thr Gly Val Val Arg Pro 70 75 80	831
	GTGAGTGCTC TCGTTAATTA CGCTTCGGCG AGTTGCGCAG ATATATTAAA TACTGCAAAC	891
20	CTAAGCAGGA GCTGACATGC GACAG TAC ACT CTG ACT CTC ACC GAA GTC GAC  Tyr Thr Leu Thr Leu Thr Glu Val Asp  85	943
25	AAC TGG ACC GGA CCT GAT GGC GTC GTC AAG GAG AAG GTC ATG CTG GTT Asn Trp Thr Gly Pro Asp Gly Val Val Lys Glu Lys Val Met Leu Val 95 100 105	991
30	AAC GTACGGCACC CCTTTTCTTG TCCTAGGATC TGGGTGATGT GCGTCGTTGC	1044
	CCCTGAGAGA GACTGACCGA GCCTTTGGCT GCAG AAT AGT ATA ATC GTAATTAATT Asn Ser Ile Ile 110	1100
35	ATACCGCCCT GCCTCCAGCA GCCCCAGCAG CTCGAGAAGG GTATCTGAAG TTAGTCAGGC	1160
40	CTGCTGACCT GACCGGGGCC AACCCACCAT AG GGA CCA ACA ATC TTT GCG GAC Gly Pro Thr Ile Phe Ala Asp 115	1213
	TGG GGC GAC ACG ATC CAG GTA ACG GTC ATC AAC AAC CTC GAG ACC AAC Trp Gly Asp Thr Ile Gln Val Thr Val Ile Asn Asn Leu Glu Thr Asn 120 125 130	1261
45	GGC GTATGTCTGC TGCTTGCTCT CTTGCTCTCC TCGTCCGCGA CTAATAATAA Gly	1314
50	TATCAACTCG TGTGGAAAAC AG ACG TCG ATC CAC TGG CAC GGA CTG CAC CAG  Thr Ser Ile His Trp His Gly Leu His Gln  140 145	1366
55	AAG GGC ACC AAC CTG CAC GAC GGC GCC AAC GGT ATC ACC GAG TGC CCG Lys Gly Thr Asn Leu His Asp Gly Ala Asn Gly Ile Thr Glu Cys Pro 150 155 160	1414
60	ATC CCG CCC AAG GGA GGG AGG AAG GTG TAC CGG TTC AAG GCT CAG CAG Ile Pro Pro Lys Gly Gly Arg Lys Val Tyr Arg Phe Lys Ala Gln Gln 165 170 175	1462
<i>_</i> -	TAC GGG ACG AGC TGG TAC CAC TCG CAC TTC TCG GCC CAG TAC GGC AAC Tyr Gly Thr Ser Trp Tyr His Ser His Phe Ser Ala Gln Tyr Gly Asn 180 180	151
65	GGC GTG GTC GGG GCC ATT CAG ATC AAC GGG CCG GCC TCG CTG CCG TAC Gly Val Val Gly Ala Ile Gln Ile Asn Gly Pro Ala Ser Leu Pro Tyr 200 205 210	155

-	GAC Asp	ACC Thr	GAC Asp	CTG Leu	GGC Gly 215	GTG Val	TTC Phe	CCC Pro	ATC Ile	AGC Ser 220	GAC Asp	TAC Tyr	TAC Tyr	TAC Tyr	AGC Ser 225	TCG Ser	1606
5	GCC Ala	GAC Asp	GAG Glu	CTG Leu 230	GTG Val	GAA Glu	CTC Leu	ACC Thr	AAG Lys 235	AAC Asn	TCG Ser	GGC	GCG Ala	CCC Pro 240	TTC Phe	AGC Ser	1654
10	GAC Asp	AAC Asn	GTC Val 245	CTG Leu	TTC Phe	AAC Asn	GGC Gly	ACG Thr 250	GCC Ala	AAG Lys	CAC His	CCG Pro	GAG Glu 255	ACG Thr	GGC Gly	GAG Glu	1702
15	GGC Gly	GAG Glu 260	TAC Tyr	GCC Ala	AAC Asn	GTG Val	ACG Thr 265	CTC Leu	ACC Thr	CCG Pro	GGC	CGG Arg 270	CGG Arg	CAC His	CGC Arg	CTG Leu	1750
20	CGC Arg 275	CTG Leu	ATC Ile	AAC Asn	ACG Thr	TCG Ser 280	GTC Val	GAG Glu	AAC Asn	CAC His	TTC Phe 285	CAG Gln	GTC Val	TCG Ser	CTC Leu	GTC Val 290	1798
25	AAC Asn	CAC His	ACC Thr	ATG Met	ACC Thr 295	ATC Ile	ATC Ile	GCC Ala	GCC Ala	GAC Asp 300	ATG Met	GTG Val	CCC Pro	GTC Val	AAC Asn 305	GCC Ala	1846
25	ATG Met	ACG Thr	GTC Val	GAC Asp 310	AGC Ser	CTC Leu	TTC Phe	CTC Leu	GGC Gly 315	GTC Val	GGC Gly	CAG Gln	CGC Arg	TAC Tyr 320	GAT Asp	GTC Val	1894
30	GTC Val	ATC Ile	GAA Glu 325	GCC Ala	AGC Ser	CGA Arg	ACG Thr	CCC Pro 330	GGG Gly	AAC Asn	TAC Tyr	TGG Trp	TTT Phe 335	AAC Asn	GTC Val	ACA Thr	1942
35	TTT Phe	GGC Gly 340	GGC Gly	GGC Gly	CTG Leu	CTC Leu	TGC Cys 345	GGC Gly	GGC Gly	TCC Ser	AGG Arg	AAT Asn 350	CCC Pro	TAC Tyr	CCG Pro	GCC Ala	1990
40	GCC Ala 355	ATC Ile	TTC Phe	CAC His	TAC Tyr	GCC Ala 360	GGC Gly	GCC Ala	CCC Pro	GGC	GGC Gly 365	CCG Pro	CCC Pro	ACG Thr	GAC Asp	GAG Glu 370	2038
4.5	GGC Gly	AAG Lys	GCC Ala	CCG Pro	GTC Val 375	GAC Asp	CAC His	AAC Asn	TGC Cys	CTG Leu 380	GAC Asp	CTC Leu	CCC Pro	AAC Asn	CTC Leu 385	AAG Lys	2086
45	CCC Pro	GTC Val	GTG Val	GCC Ala 390	Arg	GAC Asp	GTG Val	CCC Pro	CTG Leu 395	AGC Ser	GGC Gly	TTC Phe	GCC Ala	AAG Lys 400	CGG Arg	CCC Pro	2134
50	GAC Asp	AAC Asn	ACG Thr 405	Leu	GAC Asp	GTC Val	ACC Thr	CTC Leu 410	Asp	ACC Thr	ACG Thr	GGC Gly	ACG Thr 415	CCC Pro	CTG Leu	TTC Phe	2182
55	GTC Val	TGG Trp 420	Lys	GTC Val	AAC Asn	GGC	AGC Ser 425	Ala	ATC Ile	AAC Asn	ATC Ile	GAC Asp 430	Trp	GGC Gly	AGG Arg	CCC Pro	2230
60	GTC Val 435	Val	GAC Asp	TAC	GTC Val	Leu 440	Thr	CAG Gln	AAC Asn	ACC Thr	AGC Ser 445	TTC Phe	CCA Pro	CCC Pro	GGG Gly	TAC Tyr 450	2278
	AAC Asn	ATT	GTC Val	GAG Glu	GTG Val 455	AAC Asn	GGA Gly	GCT Ala	GAT Asp	CAG Gln 460		AGAA	AAA	GGGG	ACCG	CA (	2328
65	GGG	GTGC	TGC	TGCA	AGTA	CA C	CTTG	CTCG	c cc	TCCT	GTTC	TTC	CTTA	ATA	ACTA	CCTCCC	2388
	AAC	CCTC	ccc	CCTA	ATTA	T TA	CACT	TTAA	A GG	CCGA	TCAA	GAC	TGAC	CGA	GCCC	CCTCTC	2448

	TTTGCAG TGG TCG TAC TGG TTG ATC GAG AAC GAT CCC GGC GCA CCT TTC Trp Ser Tyr Trp Leu Ile Glu Asn Asp Pro Gly Ala Pro Phe 465 470	2497
5		
10	ACC CTA CCG CAT CCG ATG CAC CTG CAC GTAAGTTGGA TACATATATA Thr Leu Pro His Pro Met His Leu His 475	2544
	TATATATA TACATTGCTT TCCTGGCTCG CTCCCTTAAA TAAAATTAAA TAACCAAAAA	2604
15	TAACAAAAAA AAG GGC CAC GAC TTT TAC GTG CTG GGC CGC TCG CCC GAC Gly His Asp Phe Tyr Val Leu Gly Arg Ser Pro Asp 485	2653
20	GAG TCG CCG GCA TCC AAC GAG CGG CAC GTG TTC GAT CCG GCG CGG GAC Glu Ser Pro Ala Ser Asn Glu Arg His Val Phe Asp Pro Ala Arg Asp 500 510	2701
	GCG GGC CTG CTG AGC GGG GCC AAC CCT GTG CGG CGG GAC GTG ACG ATG Ala Gly Leu Ser Gly Ala Asn Pro Val Arg Arg Asp Val Thr Met 515 520 525	2749
25	CTG CCG GCG TTC GGG TGG GTG GTG CTG GCC TTC CGG GCC GAC AAC CCG Leu Pro Ala Phe Gly Trp Val Val Leu Ala Phe Arg Ala Asp Asn Pro 530 540	2797
30	GGC GCC TGG CTG TTC CAC TGC CAC ATC GCC TGG CAC GTC TCG GGC GGC Gly Ala Trp Leu Phe His Cys His Ile Ala Trp His Val Ser Gly Gly 545	2845
35	CTG GGC GTC GTC TAC CTC GAG CGC GCC GAC GAC CTG CGC GGG GCC GTC Leu Gly Val Val Tyr Leu Glu Arg Ala Asp Asp Leu Arg Gly Ala Val 565 570 575	2893
40	TCG GAC GCC GAC GAC GAC CTC GAC CGC CTC TGC GCC GAC TGG CGC Ser Asp Ala Asp Asp Asp Leu Asp Arg Leu Cys Ala Asp Trp Arg 580 585 590	2941
	CGC TAC TGG CCT ACC AAC CCC TAC CCC AAG TCC GAC TCG GGC CTC AAG Arg Tyr Trp Pro Thr Asn Pro Tyr Pro Lys Ser Asp Ser Gly Leu Lys 595 600 605	2989
45	CAC CGC TGG GTC GAG GAG GGC GAG TGG CTG GTC AAG GCG TGAGCGAAGG His Arg Trp Val Glu Glu Gly Glu Trp Leu Val Lys Ala 610 620	3038
50	AGGAAAAAGG AAACAAAGAG GGGGGGGGG GCTAGTTCCT ATTTTTGCTT TTTTTTTTTG	3098
	TTCTTGTCCT TGTGCTGGCG GTTACCCTGG TAAAGGAGAA GGGGGCCCCA AGTTCGAGTG	3158
55	GGTGTGTGAT CGGGTAAATA TTATCAAGAG ATCT	3192
	(2) INFORMATION FOR SEQ ID NO:2:	
60	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 620 amino acids</li><li>(B) TYPE: amino acid</li><li>(D) TOPOLOGY: linear</li></ul>	
<i>~</i> -	(ii) MOLECULE TYPE: protein	
65	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:	

Met Lys Ser Phe Ile Ser Ala Ala Thr Leu Leu Val Gly Ile Leu Thr

	1				5					10					15	
_	Pro	Ser	Val	Ala 20	Ala	Ala	Pro	Pro	Ser 25	Thr	Pro	Glu	Gln	Arg 30	Asp	Leu
5	Leu	Val	Pro 35	Ile	Thr	Glu	Arg	Glu 40	Glu	Ala	Ala	Val	Lys 45	Ala	Arg	Gln
10	Gln	Ser 50	Сув	Asn	Thr	Pro	Ser 55	Asn	Arg	Ala	Cys	Trp 60	Thr	Asp	Gly	Tyr
	Asp 65	Ile	Asn	Thr	Asp	Tyr 70	Glu	Val	Asp	Ser	Pro 75	Asp	Thr	Gly	Val	Val 80
15	Arg	Pro	Tyr	Thr	Leu 85	Thr	Leu	Thr	Glu	Val 90	Asp	Asn	Trp	Thr	Gly 95	Pro
20	Asp	Gly	Val	Val 100	Lys	Glu	Lys	Val	Met 105	Leu	Val	Asn	Asn	Ser 110	Ile	Ile
20	Gly	Pro	Thr 115	Ile	Phe	Ala	Asp	Trp 120	Gly	Asp	Thr	Ile	Gln 125	Val	Thr	Val
25		130	Asn				135					140				
	145		Lys			150					155					160
30	•		Ile		165					170					175	
35			Tyr	180					185					190		
	-		Gly 195					200					205			
40		210					215					220				
•	225		Ala			230					235					240
45			Asp		245					250					255	
50			Gly	260					265					270		
	_		Arg 275					280					285			
55		290					295					300				
	305		Met			310					315					320
60			Val		325					330					335	
65			Phe	340					345					350		
	Pro	Ala	Ala 355		Phe	His	Tyr	Ala 360	Gly	Ala	Pro	Gly	Gly 365	Pro	Pro	Thr

į,

Asp Glu Gly Lys Ala Pro Val Asp His Asn Cys Leu Asp Leu Pro Asn 375 380 Leu Lys Pro Val Val Ala Arg Asp Val Pro Leu Ser Gly Phe Ala Lys 5 395 Arg Pro Asp Asn Thr Leu Asp Val Thr Leu Asp Thr Thr Gly Thr Pro Leu Phe Val Trp Lys Val Asn Gly Ser Ala Ile Asn Ile Asp Trp Gly 10 Arg Pro Val Val Asp Tyr Val Leu Thr Gln Asn Thr Ser Phe Pro Pro 15 Gly Tyr Asn Ile Val Glu Val Asn Gly Ala Asp Gln Trp Ser Tyr Trp Leu Ile Glu Asn Asp Pro Gly Ala Pro Phe Thr Leu Pro His Pro Met 20 His Leu His Gly His Asp Phe Tyr Val Leu Gly Arg Ser Pro Asp Glu 490 485 Ser Pro Ala Ser Asn Glu Arg His Val Phe Asp Pro Ala Arg Asp Ala 25 510 Gly Leu Leu Ser Gly Ala Asn Pro Val Arg Arg Asp Val Thr Met Leu 30 Pro Ala Phe Gly Trp Val Val Leu Ala Phe Arg Ala Asp Asn Pro Gly Ala Trp Leu Phe His Cys His Ile Ala Trp His Val Ser Gly Gly Leu 35 Gly Val Val Tyr Leu Glu Arg Ala Asp Asp Leu Arg Gly Ala Val Ser 570 Asp Ala Asp Ala Asp Asp Leu Asp Arg Leu Cys Ala Asp Trp Arg Arg Tyr Trp Pro Thr Asn Pro Tyr Pro Lys Ser Asp Ser Gly Leu Lys His 45 Arg Trp Val Glu Glu Gly Glu Trp Leu Val Lys Ala

### INDICATIONS RELATING TO A DEPOSITED MICROORGANISM

(PCT Rule 13 bis)

A. The indications made below relate to the microorganism reference on page	ed to in the description 13:
B. IDENTIFICATION OF	Further deposits are identified on an additional sheet
Name of depository institution Agricultural Research Service Patent Culture	Collection (NRRL)
Address of depository institution (including postal code and count	(איני)
Northern Regional Research Center 1815 University Street Peoria, IL 61604, US	
Date of deposit 25 May 1994	Accession Number NRRL B-21261
C. ADDITIONAL INDICATIONS (leave blank if not applicable	ole) This information is continued on an additional sheet
In respect of those designations in which a Enduring the pendency of the patent application only to be provided to an independent expert (Rule 28(4) EPC/Regulation 3.25 of Australia	, a sample of the deposited microorganism is nominated by the person requesting the sample
D. DESIGNATED STATES FOR WHICH INDICATIONS A	RE MADE (if the indications are not for all designated States)
*	
,	
E. SEPARATE FURNISHING OF INDICATIONS (leave blan	ık if not applicable)
The indication listed below will be submitted to the International "Accession Number of Deposit")	Bureau Later (specify the general nature of the indications e.g.
·	
For receiving Office use only	For International Bureau use only
This sheet was received with the international application	This sheet was received with the International Bureau on:
Authorized officer Theme Lecterson	Authorized afficer
Form PCT/RO/134 (July 1992)	

**WU** 7/1/17777

5

10

25

30

35

#### PATENT CLAIMS

- 1. A dyeing composition comprising
- a) above 0 to 1 mg enzyme protein per ml dyeing composition of microbial laccase,
  - b) one or more dye precursor, and
  - c) optionally one or more dye modifiers.
  - 2. The dyeing composition according claims 1, wherein the laccase is presents in a concentration of from 0.0001 to 1 mg/ml, preferably 0.001 to 0.8 mg/ml, more preferred 0.002 to 0.5 mg/ml, even more preferred 0.003 to 0.2 mg/ml, especially 0.004 to 0.1 mg enzyme protein/ml dyeing composition.
  - 3. The dyeing composition according to claims 1 and 2, wherein said microbial laccase is of filamentous fungus origin.
- 4. The dyeing composition according to claims 1 and 2, wherein the laccase is derived from a strain of the genus Myceliophthora, in particular a strain of species Myceliophthora thermophila, such as Myceliophthora thermophila NRRL B 21261, or variants thereof, such as the T1 variant.
- 5. The dyeing composition according to claim 4, wherein the laccase is encoding by the sequence shown in SEQ ID NO 1.
  - 6. The dyeing composition according to claims 4 and 5, wherein the laccase is present in a concentration of from above 0 to 1 mg/ml, preferably 0.0001 to 0.1 mg/ml, more preferably 0.0005 to 0.05 mg/ml, especially 0.001 to 0.01 mg enzyme protein/ml dyeing composition.
  - 7. The dyeing composition according to any of claims 1 to 6, comprising a dye precursor selected from the group comprising p-phenylene-diamine (pPD), p-toluylene-diamine (pTD), chloro-p-phenylenediamine, p-aminophenol, o-aminophenol, 3,4-diamino-toluene, 2-methyl-1,4-diaminobenzene, 4-methyl-o-phenylenediamine, 2-methoxy-p-phenylenediamine, 2-chloro-1,4-diamino-benzene, 4-amino diphenylamine, 1-amino-4-β-methoxyethylamino-benzene, 1-amino-4-bis-(β-hydroxyethyl)-amonibenzene, 1-3-diaminobenzene, 2-methyl-1,3-diamino-benzene, 2,4-diaminotoluene, 2,6-diaminopyridine, 1-hydroxy-2-amino-benzene, 1-hydroxy-3-aminobenzene, 1-methyl-2-hydroxy-4-amino-benzene, 1-methyl-2-hydrox

xy-4-β-hydroxyethylamino-benzene, 1-hydroxy-4-amino-benzene, 1-1-methoxy-2,4-diamino-benzene, hydroxy-4-methylamino-benzene, 1-ethoxy-2,3-diamino-benzene,  $1-\beta$ -hydroxyethyloxy-2,4-diaminophenazines, such as 4,7-phenazinedicarboxylic acid, 2,7-phenazinedicarboxylic acid, 2-phenazinecarboxylic 2,7-diaminophenazine, 2,8-diaminophenazine, 2,7-diamino-3,8dimethoxyphenazine, 2,7-diamino-3-methoxyphenazine, 2,7-diamino 3-methoxyphenazine, 3-dimethyl 2,8-phenazinediamine, amino-7-methyl-2-phenazinyl)imino]bis-ethanol, 2,2'-[(8-amino-7-methoxy-2-phenazinyl)imino]bis-ethanol, 2,2'-[(8-amino-7chloro-2-phenazinyl)imino]bis-ethanol, 2-[(8-amino-7-methyl-2phenazinyl)amino]-ethanol, 2,2'-[(8-amino-2-phenazinyl)imino]-3-amino-7-(dimethylamino)-2,8-dimethyl-5-phenylbis-ethanol, chloride, 9-(diethylamino) - benzo[a]phenazine-1,5-diol, N-[8-(diethylamino) -2-phenazinyl] - methanesulfonamide, xy-2-phenazinyl)-methanesulfonamide, N,N,N',N'-tetramethyl-2,7phenazinediamine, 3,7-dimethyl-2-phenazinamine, p-amino benzoic acids, such as p-amino benzoic acid ethyl, p-amino benzoic acid isobutyl, p-dimethylamino glycerid, p-amino benzoic acid benzoic acid amil, p-dimethylamino benzoic acid octyl, pdiethoxy amino benzoic amil, p-dipropoxy amino benzoic acid ethyl, acetylsalicylic acid, isatin derivatives, such as 2,3diamino benzoic acid.

5

10

15

20

25

30


35


- 8. The dyeing composition according to any of claims 1 to 7, comprising a dye modifier selected from the group comprising mphenylene-diamine, 2,4-diaminoanisole, 1-hydroxynaphthalene(α-naphthol), 1,4-dihydroxybenzene(hydroquinone), 1,5-dihydroxynaphthalene, 1,2-dihydroxybenzene(pyrocatechol), 1,3-dihydroxybenzene (resorcinol), 1,3-dihydroxy-2-methylbenzene, 1,3-dihydroxy-4-chlorobenzene (4-chlororesorcinol), 1,2,3,trihydroxybenzene, 1,2,4-trihydroxybenzene, 1,2,4-trihydroxytoluene.
  - 9. Use of the composition according to claim 1 to 8 for permanent dyeing of keratinous fibres, such as hair, fur, hide or wool.
  - 10. A method for dying keratinous fibres comprising contacting a dyeing composition according to claims 1 to 8 to

5


the keratinous fibres under suitable conditions and for a period of time sufficient to permit oxidation of the dye precursor into a coloured compound.


- 11. The method according to claim 10, wherein the dyeing procedure is carried out at a pH in the range from 3 to 10, preferably 5 to 9, especially 6 to 8.
- 12. The method wherein according to claims 10 and 11, wherein the procedure is carried out for a period of time between 10 and 60 minutes, preferably 15 to 50 minutes, 10 especially 20 to 40 minutes.











### INTERNATIONAL SEARCH REPORT

International application No. PCT/DK 96/00499

A. CLAS	SIFICATION OF SUBJECT MATTER		
IPC6: (	CO9B 67/00, A61K 7/13 o International Patent Classification (IPC) or to both n	ational classification and IPC	
<del></del>	OS SEARCHED		
	ocumentation searched (classification system followed by	y classification symbols)	
L	CO9B, A61K		
	tion searched other than minimum documentation to the FI,NO classes as above	e extent that such documents are included to	n the fields searched
	ata base consulted during the international search (name	e of data hase and where practicable, search	n terms used)
decironic o		,	·
C. DOCL	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.
Р,Х	WO 9533836 A1 (NOVO NORDISK BIO 14 December 1995 (14.12.95) line 12 - page 17, line 27; page 36	, claims 31-42; page 16,	1-12
Р,Х	WO 9533837 A1 (NOVO NORDISK BIO 14 December 1995 (14.12.95) 15, line 34 - page 16, line	, claims 28, 29; page	1-3
P,A			4-12
	<del></del>		
х	EP 0504005 A1 (PERMA SOCIETE AND 16 Sept 1992 (16.09.92)	ONYME),	1-3
A			4-12
X Furth	er documents are listed in the continuation of Bo	x C. X See patent family annex	<b>.</b>
"A" docume	categories of cited documents: ent defining the general state of the art which is not considered	"T" later document published after the inte date and not in conflict with the applie the principle or theory underlying the	cation but cited to understand
"E" erlier d	f particular relevance locument but published on or after the international filing date ent which may throw doubts on priority claim(s) or which is	"X" document of particular relevance: the considered novel or cannot be considered step when the document is taken alone	red to involve an inventive
special	establish the publication date of another citation or other reason (as specified) ent referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the considered to involve an inventive step combined with one or more other such	when the document is a documents, such combination
	ent published prior to the international filing date but later than ority date claimed	being obvious to a person skilled in the "de" document member of the same patent	
<u>`</u>	e actual completion of the international search	Date of mailing of the international s	earch report
		0 1 -03- 1997	
	ruary 1997		
1	mailing address of the ISA/	Authorized officer	
	Patent Office , S-102 42 STOCKHOLM	Gerd Strandell	;
	No. +46 8 666 02 86	Telephone No. +46 8 782 25 00	

International application No.

PCT/DK 96/00499

<b>C</b>	Ct. i C. L	Relevant to claim No
Calegory	Citation of document, with indication, where appropriate, of the relevant passages	Kaevant to danit No
x	WO 9600290 A1 (NOVO NORDISK BIOTECH, INC.), 4 January 1996 (04.01.96), claims 37-48; page 48, line 25 - page 54, line 24	1-3
A .		4-12
	••	
x	STN International, File CAPLUS, CAPLUS accession no. 1991:498981, Saruno, Rinjiro: "Hair- dyeing preparations containing melanin or other polyphenol pigments and manufacture of the pigments"; & JP,A,03077813, 910403	1-3
	<del></del>	
x	STN International, File CAPLUS, CAPLUS accession no. 1995:974547, Chivukula, Muralikrishna et al: "Phenolic azo dye oxidation by laccase from Pyricularia oryzae"; & Appl. Environ. Microbiol. (1995), 61(12), 4374-77	1-3
	<del></del>	
A	US 3251742 A (SAUL SOLOWAY), 17 May 1966 (17.05.66)	1-12
	<del></del>	
A	WO 9507988 A1 (NOVO NORDISK A/S), 23 March 1995 (23.03.95), claim 41	1-12
	<del></del>	
A	DE 4314317 A1 (HENKEL KGAA), 3 November 1994 (03.11.94)	7
	<del></del>	
A	WO 9400100 A1 (L'OREAL), 6 January 1994 (06.01.94)	7
	<del></del>	

# INTERNATIONAL SEARCH REPORT Information on patent family members

03/02/97

International application No.
PCT/DK 96/00499

Patent document cited in search report		Publication date	Patent mer	Publication date		
WO-A1- 9533836		14/12/95	AU-A-	2656595	04/01/96	
10-A1-	9533837	14/12/95	AU-A-	2656695	04/01/96	
 P-A1-	0504005	16/09/92	AT-T-	121931	15/05/95	
			CA-A-	2061826	09/09/92	
			DE-D,T-	69202290	09/11/95	
			ES-T-	2072720	16/07/95	
			FR-A,B-	2673534	11/09/92	
			JP-A-	6172145	21/06/94	
√0-A1-	9600290	04/01/96	AU-A-	2827895	19/01/96	
JS-A-	3251742	17/05/66	FR-A-	1363462	00/00/00	
<i>.</i>	02007 12	2.,	GB-A-	993923	00/00/00	
 √0-A1-	9507988	23/03/95	AU-A-	7833694	03/04/95	
			CA-A-	2171288	23/03/95	
			CN-A-	1133067	09/10/96	
			EP-A-	0719337	03/07/96	
			FI-A-	961250	18/03/96	
			US-A-	5480801	02/01/96	
 DE-A1-	4314317	03/11/94	EP-A-	0695162	07/02/96	
			JP-T-	8509478	08/10/96	
			WO-A-	9424988	10/11/94	
WO-A1-	9400100	06/01/94	DE-D,T-	69301464	05/06/96	
no 110	2.00203	,,	EP-A,B-	0645999	05/04/95	
			FR-A,B-	2692782	31/12/93	
			JP-T-	7508271	14/09/95	
			US-A-	5538517	23/07/96	